

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
5B: ACKMORE-COLO COMPLEX, 2 TO 5 PERCENT SLOPES	ACKMORE	No	---	---	---	---	---	5,612
	COLO	Yes	drainageway	2B3	YES	NO	NO	4,490
	ELY	No	---	---	---	---	---	561
	JUDSON	No	---	---	---	---	---	561
7: WIOTA SILT LOAM, 0 TO 2 PERCENT SLOPES	WIOTA	No	---	---	---	---	---	5,862
	NEVIN	No	---	---	---	---	---	308
7B: WIOTA SILT LOAM, 2 TO 5 PERCENT SLOPES	WIOTA	No	---	---	---	---	---	2,375
	NEVIN	No	---	---	---	---	---	125
8B: JUDSON SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	JUDSON	No	---	---	---	---	---	1,436
	COLO	Yes	flood plain	2B3	YES	NO	NO	80
	ELY	No	---	---	---	---	---	80
11B: COLO-ELY COMPLEX, 2 TO 5 PERCENT SLOPES	COLO	Yes	drainageway	2B3	YES	NO	NO	12,870
	ELY	No	---	---	---	---	---	10,296
	JUDSON	No	---	---	---	---	---	2,574
20C2: KILLDUFF SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	KILLDUFF	No	---	---	---	---	---	352
	CLARINDA	Yes	hill	2B3	YES	NO	NO	18
20D2: KILLDUFF SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	KILLDUFF	No	---	---	---	---	---	608
	CLARINDA	Yes	hill	2B3	YES	NO	NO	32
20D3: KILLDUFF SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	KILLDUFF	No	---	---	---	---	---	646
	CLARINDA	Yes	hill	2B3	YES	NO	NO	34

## Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II  
HYDRIC SOIL INTERPRETATIONS

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
20E2: KILLDUFF SILTY CLAY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	KILLDUFF	No	---	---	---	---	---	228
	CLARINDA	Yes	hill	2B3	YES	NO	NO	12
20E3: KILLDUFF SILTY CLAY LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	KILLDUFF	No	---	---	---	---	---	190
	CLARINDA	Yes	hill	2B3	YES	NO	NO	10
24D2: SHELBY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	SHELBY	No	---	---	---	---	---	486
	ADAIR	No	---	---	---	---	---	27
	CLARINDA	Yes	hill	2B3	YES	NO	NO	27
24D3: SHELBY CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	SHELBY	No	---	---	---	---	---	248
	ADAIR	No	---	---	---	---	---	14
	CLARINDA	Yes	hill	2B3	YES	NO	NO	14
24E2: SHELBY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	SHELBY	No	---	---	---	---	---	446
	ADAIR	No	---	---	---	---	---	25
	CLARINDA	Yes	hill	2B3	YES	NO	NO	25
24E3: SHELBY CLAY LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	SHELBY	No	---	---	---	---	---	486
	ADAIR	No	---	---	---	---	---	27
	CLARINDA	Yes	hill	2B3	YES	NO	NO	27
43: BREMER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	BREMER	Yes	terrace	2B3	YES	NO	NO	11,115
	TUSKEEGO	Yes	terrace	2B3	YES	NO	NO	585
63D: CHELSEA LOAMY FINE SAND, 5 TO 14 PERCENT SLOPES	CHELSEA	No	---	---	---	---	---	500

## Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II  
HYDRIC SOIL INTERPRETATIONS

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
63F: CHELSEA LOAMY FINE SAND, 14 TO 25 PERCENT SLOPES	CHELSEA	No	---	---	---	---	---	640
65D2: LINDLEY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	LINDLEY	No	---	---	---	---	---	285
65E2: LINDLEY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	LINDLEY	No	---	---	---	---	---	598
	KESWICK	No	---	---	---	---	---	32
65E3: LINDLEY CLAY LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	LINDLEY	No	---	---	---	---	---	513
	KESWICK	No	---	---	---	---	---	27
65F: LINDLEY LOAM, 18 TO 25 PERCENT SLOPES	LINDLEY	No	---	---	---	---	---	342
	KESWICK	No	---	---	---	---	---	18
65F2: LINDLEY LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	LINDLEY	No	---	---	---	---	---	1,677
	KESWICK	No	---	---	---	---	---	88
65F3: LINDLEY CLAY LOAM, 18 TO 25 PERCENT SLOPES, SEVERELY ERODED	LINDLEY	No	---	---	---	---	---	1,036
	KESWICK	No	---	---	---	---	---	54
65G: LINDLEY LOAM, 25 TO 40 PERCENT SLOPES	LINDLEY	No	---	---	---	---	---	2,076
	KESWICK	No	---	---	---	---	---	109
83B: KENYON LOAM, 2 TO 5 PERCENT SLOPES	KENYON	No	---	---	---	---	---	247
	KESWICK	No	---	---	---	---	---	13
83C2: KENYON LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	KENYON	No	---	---	---	---	---	570
	KESWICK	No	---	---	---	---	---	30

## Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II  
HYDRIC SOIL INTERPRETATIONS

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
88: NEVIN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	NEVIN	No	---	---	---	---	---	10,638
	BREMER	Yes	terrace	2B3	YES	NO	NO	591
	WIOTA	No	---	---	---	---	---	591
110C: LAMONT FINE SANDY LOAM, 5 TO 9 PERCENT SLOPES	LAMONT	No	---	---	---	---	---	214
	CHELSEA	No	---	---	---	---	---	11
118: GARWIN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	GARWIN	Yes	flat	2B3	YES	NO	NO	7,052
	MUSCATINE	No	---	---	---	---	---	392
	SPERRY	Yes	depression	2B3,3	YES	NO	YES	392
119: MUSCATINE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	MUSCATINE	No	---	---	---	---	---	16,150
	GARWIN	Yes	flat	2B3	YES	NO	NO	897
	SPERRY	Yes	depression	2B3	YES	NO	NO	897
119B: MUSCATINE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	MUSCATINE	No	---	---	---	---	---	2,422
	GARWIN	Yes	flat	2B3	YES	NO	NO	128
120: TAMA SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	TAMA	No	---	---	---	---	---	627
	MUSCATINE	No	---	---	---	---	---	33
120B: TAMA SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	TAMA	No	---	---	---	---	---	58,075
120B2: TAMA SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	TAMA	No	---	---	---	---	---	2,140
120C: TAMA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	TAMA	No	---	---	---	---	---	8,060
120C2: TAMA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	TAMA	No	---	---	---	---	---	29,295

## Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II  
HYDRIC SOIL INTERPRETATIONS

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
120C3: TAMA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED	TAMA	No	---	---	---	---	---	214
	LISCOMB	No	---	---	---	---	---	11
120D2: TAMA SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	TAMA	No	---	---	---	---	---	5,185
120D3: TAMA SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	TAMA	No	---	---	---	---	---	1,235
	LISCOMB	No	---	---	---	---	---	65
120E2: TAMA SILTY CLAY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	TAMA	No	---	---	---	---	---	304
	LISCOMB	No	---	---	---	---	---	16
122: SPERRY SILT LOAM, 0 TO 1 PERCENT SLOPES	SPERRY	Yes	depression	3,2B3	YES	NO	YES	190
	CALC	Yes	depression	2B3	YES	NO	NO	10
133: COLO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	COLO	Yes	flood plain	2B3	YES	NO	NO	18,158
	NEVIN	No	---	---	---	---	---	1,009
	WIOTA	No	---	---	---	---	---	1,009
133+: COLO SILT LOAM, OVERWASH, 0 TO 2 PERCENT SLOPES	COLO	Yes	flood plain	2B3	YES	NO	NO	5,900
	ACKMORE	No	---	---	---	---	---	310
134: ZOOK SILTY CLAY, 0 TO 2 PERCENT SLOPES	ZOOK	Yes	flood plain	2B3	YES	NO	NO	1,090
162B: DOWNS SILT LOAM, 2 TO 5 PERCENT SLOPES	DOWNS	No	---	---	---	---	---	2,515
162C: DOWNS SILT LOAM, 5 TO 9 PERCENT SLOPES	DOWNS	No	---	---	---	---	---	2,640

## Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II  
HYDRIC SOIL INTERPRETATIONS

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
162C2: DOWNS SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	DOWNS	No	---	---	---	---	---	5,390
162D: DOWNS SILT LOAM, 9 TO 14 PERCENT SLOPES	DOWNS	No	---	---	---	---	---	810
162D2: DOWNS SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	DOWNS	No	---	---	---	---	---	7,275
162D3: DOWNS SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	DOWNS	No	---	---	---	---	---	880
162E2: DOWNS SILT LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	DOWNS	No	---	---	---	---	---	3,390
162E3: DOWNS SILTY CLAY LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	DOWNS	No	---	---	---	---	---	1,885
162F: DOWNS SILT LOAM, 18 TO 25 PERCENT SLOPES	DOWNS	No	---	---	---	---	---	190
	GARA	No	---	---	---	---	---	10
162F2: DOWNS SILT LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	DOWNS	No	---	---	---	---	---	750
	GARA	No	---	---	---	---	---	40
162F3: DOWNS SILTY CLAY LOAM, 18 TO 25 PERCENT SLOPES, SEVERELY ERODED	DOWNS	No	---	---	---	---	---	332
	GARA	No	---	---	---	---	---	18
163B: FAYETTE SILT LOAM, 2 TO 5 PERCENT SLOPES	FAYETTE	No	---	---	---	---	---	2,142
	TRAER	Yes	flat	2B3	YES	NO	NO	113
163C: FAYETTE SILT LOAM, 5 TO 9 PERCENT SLOPES	FAYETTE	No	---	---	---	---	---	5,170

## Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II  
HYDRIC SOIL INTERPRETATIONS

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
163C2: FAYETTE SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	FAYETTE	No	---	---	---	---	---	5,655
163D: FAYETTE, SILT LOAM, 9 TO 14 PERCENT SLOPES	FAYETTE	No	---	---	---	---	---	594
	KESWICK	No	---	---	---	---	---	33
	LINDLEY	No	---	---	---	---	---	33
163D2: FAYETTE SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	FAYETTE	No	---	---	---	---	---	9,414
	KESWICK	No	---	---	---	---	---	523
	LINDLEY	No	---	---	---	---	---	523
163D3: FAYETTE SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	FAYETTE	No	---	---	---	---	---	464
	KESWICK	No	---	---	---	---	---	26
	LINDLEY	No	---	---	---	---	---	26
163E: FAYETTE SILT LOAM, 14 TO 18 PERCENT SLOPES	FAYETTE	No	---	---	---	---	---	1,377
	KESWICK	No	---	---	---	---	---	76
	LINDLEY	No	---	---	---	---	---	76
163E2: FAYETTE SILT LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	FAYETTE	No	---	---	---	---	---	7,353
	KESWICK	No	---	---	---	---	---	408
	LINDLEY	No	---	---	---	---	---	408
163E3: FAYETTE SILTY CLAY LOAM, 14 TO 18 PERCENT SLOPES SEVERELY ERODED	FAYETTE	No	---	---	---	---	---	3,040
	LINDLEY	No	---	---	---	---	---	160
163F: FAYETTE SILT LOAM, 18 TO 25 PERCENT SLOPES	FAYETTE	No	---	---	---	---	---	2,997
	LINDLEY	No	---	---	---	---	---	166
	TIMULA	No	---	---	---	---	---	166

## Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II  
HYDRIC SOIL INTERPRETATIONS

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
163F2: FAYETTE SILT LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	FAYETTE	No	---	---	---	---	---	7,638
	LINDLEY	No	---	---	---	---	---	402
163F3: FAYETTE SILTY CLAY LOAM, 18 TO 25 PERCENT SLOPES, SEVERELY ERODED	FAYETTE	No	---	---	---	---	---	1,814
	LINDLEY	No	---	---	---	---	---	96
163G: FAYETTE SILT LOAM, 25 TO 40 PERCENT SLOPES	FAYETTE	No	---	---	---	---	---	6,175
	LINDLEY	No	---	---	---	---	---	325
164: TRAER SILT LOAM, 0 TO 2 PERCENT SLOPES	TRAER	Yes	flat	2B3	YES	NO	NO	200
174B: BOLAN LOAM, 2 TO 5 PERCENT SLOPES	BOLAN	No	---	---	---	---	---	235
174C: BOLAN LOAM, 5 TO 9 PERCENT SLOPES	BOLAN	No	---	---	---	---	---	440
175B: DICKINSON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	DICKINSON	No	---	---	---	---	---	200
175C: DICKINSON FINE SANDY LOAM, 5 TO 9 PERCENT SLOPES	DICKINSON	No	---	---	---	---	---	270
179D2: GARA LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	GARA	No	---	---	---	---	---	598
	ARMSTRONG	No	---	---	---	---	---	32
179D3: GARA CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	GARA	No	---	---	---	---	---	200
179E2: GARA LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	GARA	No	---	---	---	---	---	670
	ARMSTRONG	No	---	---	---	---	---	35

## Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II  
HYDRIC SOIL INTERPRETATIONS

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
179E3: GARA CLAY LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	GARA	No	---	---	---	---	---	332
	ARMSTRONG	No	---	---	---	---	---	18
179F2: GARA LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	GARA	No	---	---	---	---	---	266
	ARMSTRONG	No	---	---	---	---	---	14
179F3: GARA CLAY LOAM, 18 TO 25 PERCENT SLOPES, SEVERELY ERODED	GARA	No	---	---	---	---	---	223
	ARMSTRONG	No	---	---	---	---	---	12
220: NODAWAY SILT LOAM, 0 TO 2 PERCENT SLOPES	NODAWAY	No	---	---	---	---	---	702
	ACKMORE	No	---	---	---	---	---	39
	COLO	Yes	flood plain	2B3	YES	NO	NO	39
222D2: CLARINDA SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES MODERATELY ERODED	CLARINDA	Yes	hill	2B3	YES	NO	NO	209
	KILLDUFF	No	---	---	---	---	---	11
226: LAWLER LOAM, 32 TO 40 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	LAWLER	No	---	---	---	---	---	310
	OTHER	Yes	---	2B3	YES	NO	NO	---
269: HUMESTON SILT LOAM, 0 TO 2 PERCENT SLOPES	HUMESTON	Yes	flood plain	2B3	YES	NO	NO	1,170
	OTHER	Yes	---	2B3,3	YES	NO	YES	---
291: ATTERBERRY SILT LOAM, 0 TO 2 PERCENT SLOPES	ATTERBERRY	No	---	---	---	---	---	314
	POOR	Yes	flat	2B3	YES	NO	NO	16
293D: CHELSEA-LAMONT-FAYETTE COMPLEX, 9 TO 14 PERCENT SLOPES	CHELSEA	No	---	---	---	---	---	435
	LAMONT	No	---	---	---	---	---	261
	FAYETTE	No	---	---	---	---	---	174

## Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II  
HYDRIC SOIL INTERPRETATIONS

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
293D2: CHELSEA-LAMONT-FAYETTE COMPLEX, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	CHELSEA	No	---	---	---	---	---	370
	LAMONT	No	---	---	---	---	---	222
	FAYETTE	No	---	---	---	---	---	148
293E: CHELSEA-LAMONT-FAYETTE COMPLEX, 14 TO 18 PERCENT SLOPES	CHELSEA	No	---	---	---	---	---	260
	LAMONT	No	---	---	---	---	---	156
	FAYETTE	No	---	---	---	---	---	104
293E2: CHELSEA-LAMONT-FAYETTE COMPLEX, 14 TO 18 PERCENT SLOPES MODERATELY ERODED	CHELSEA	No	---	---	---	---	---	478
	LAMONT	No	---	---	---	---	---	286
	FAYETTE	No	---	---	---	---	---	191
293F: CHELSEA-LAMONT-FAYETTE COMPLEX, 18 TO 25 PERCENT SLOPES	CHELSEA	No	---	---	---	---	---	370
	LAMONT	No	---	---	---	---	---	222
	FAYETTE	No	---	---	---	---	---	148
293F2: CHELSEA-LAMONT-FAYETTE COMPLEX, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	CHELSEA	No	---	---	---	---	---	135
	LAMONT	No	---	---	---	---	---	81
	FAYETTE	No	---	---	---	---	---	54
293G: CHELSEA-LAMONT-FAYETTE COMPLEX, 25 TO 40 PERCENT SLOPES	CHELSEA	No	---	---	---	---	---	342
	LAMONT	No	---	---	---	---	---	228
	FAYETTE	No	---	---	---	---	---	152
	LINDLEY	No	---	---	---	---	---	38
350: WAUKEGAN SILT LOAM, 0 TO 2 PERCENT SLOPES	WAUKEGAN	No	---	---	---	---	---	515

## Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II  
HYDRIC SOIL INTERPRETATIONS

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
350B: WAUKEGAN SILT LOAM, 2 TO 5 PERCENT SLOPES	WAUKEGAN	No	---	---	---	---	---	1,015
350C: WAUKEGAN SILT LOAM, 5 TO 9 PERCENT SLOPES	WAUKEGAN	No	---	---	---	---	---	530
354: AQUOLLS, PONDED	AQUOLLS	Yes	depression	3,2B3	YES	NO	YES	2,040
377B: DINSDALE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	DINSDALE	No	---	---	---	---	---	12,045
377B2: DINSDALE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	DINSDALE	No	---	---	---	---	---	1,270
377C: DINSDALE SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	DINSDALE	No	---	---	---	---	---	4,680
377C2: DINSDALE SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	DINSDALE	No	---	---	---	---	---	25,965
	DICKINSON	No	---	---	---	---	---	1,442
	LISCOMB	No	---	---	---	---	---	1,442
377D2: DINSDALE SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	DINSDALE	No	---	---	---	---	---	4,203
	DICKINSON	No	---	---	---	---	---	234
	LISCOMB	No	---	---	---	---	---	234
377D3: DINSDALE SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	DINSDALE	No	---	---	---	---	---	5,187
	DICKINSON	No	---	---	---	---	---	273
420B: TAMA SILTY CLAY LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	TAMA	No	---	---	---	---	---	2,880
420C: TAMA SILTY CLAY LOAM, BENCHES, 5 TO 9 PERCENT SLOPES	TAMA	No	---	---	---	---	---	200

## Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II  
HYDRIC SOIL INTERPRETATIONS

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
424E2: LINDLEY-KESWICK COMPLEX, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	LINDLEY	No	---	---	---	---	---	168
	KESWICK	No	---	---	---	---	---	72
424F2: LINDLEY-KESWICK COMPLEX, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	LINDLEY	No	---	---	---	---	---	399
	KESWICK	No	---	---	---	---	---	171
424F3: LINDLEY-KESWICK COMPLEX, 18 TO 25 PERCENT SLOPES, SEVERELY ERODED	LINDLEY	No	---	---	---	---	---	318
	KESWICK	No	---	---	---	---	---	136
428B: ELY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	ELY	No	---	---	---	---	---	2,560
	COLO	Yes	drainageway	2B3	YES	NO	NO	142
	JUDSON	No	---	---	---	---	---	142
429D2: DOWNS-LAMONT COMPLEX, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	DOWNS	No	---	---	---	---	---	483
	LAMONT	No	---	---	---	---	---	242
	CHELSEA	No	---	---	---	---	---	40
	GARA	No	---	---	---	---	---	40
429E2: DOWNS-LAMONT COMPLEX, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	DOWNS	No	---	---	---	---	---	390
	LAMONT	No	---	---	---	---	---	195
	CHELSEA	No	---	---	---	---	---	32
	GARA	No	---	---	---	---	---	32
429E3: DOWNS-LAMONT COMPLEX, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	DOWNS	No	---	---	---	---	---	159
	LAMONT	No	---	---	---	---	---	80
	CHELSEA	No	---	---	---	---	---	26

## Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II  
HYDRIC SOIL INTERPRETATIONS

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
429F2: DOWNS-LAMONT COMPLEX, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	DOWNS	No	---	---	---	---	---	123
	LAMONT	No	---	---	---	---	---	62
	CHELSEA	No	---	---	---	---	---	20
430: ACKMORE SILT LOAM, 0 TO 2 PERCENT SLOPES	ACKMORE	No	---	---	---	---	---	2,071
	COLO	Yes	flood plain	2B3	YES	NO	NO	109
430B: ACKMORE SILT LOAM, 2 TO 5 PERCENT SLOPES	ACKMORE	No	---	---	---	---	---	2,845
	COLO	Yes	drainageway	2B3	YES	NO	NO	150
462B: DOWNS SILT LOAM, BENCHES, 2 TO 5 PERCENT SLOPES	DOWNS	No	---	---	---	---	---	700
462C: DOWNS SILT LOAM, BENCHES, 5 TO 9 PERCENT SLOPES	DOWNS	No	---	---	---	---	---	655
478G: EMELINE-ROCK OUTCROP COMPLEX, 25 TO 60 PERCENT SLOPES	EMELINE	No	---	---	---	---	---	123
	ROCK OUTCROP	Unranked	---	---	---	---	---	82
484: LAWSON SILT LOAM, 0 TO 2 PERCENT SLOPES	LAWSON	No	---	---	---	---	---	1,116
	COLO	Yes	flood plain	2B3	YES	NO	NO	59
485: SPILLVILLE LOAM, 0 TO 2 PERCENT SLOPES	SPILLVILLE	No	---	---	---	---	---	294
	COLO	Yes	flood plain	2B3	YES	NO	NO	16
673D2: TIMULA SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	TIMULA	No	---	---	---	---	---	210
673D3: TIMULA SILT LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	TIMULA	No	---	---	---	---	---	200

## Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II  
HYDRIC SOIL INTERPRETATIONS

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
673E2: TIMULA SILT LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	TIMULA	No	---	---	---	---	---	1,729
	LINDLEY	No	---	---	---	---	---	91
673E3: TIMULA SILT LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	TIMULA	No	---	---	---	---	---	1,834
	LINDLEY	No	---	---	---	---	---	96
673F2: TIMULA SILT LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	TIMULA	No	---	---	---	---	---	2,047
	LINDLEY	No	---	---	---	---	---	108
673F3: TIMULA SILT LOAM, 18 TO 25 PERCENT SLOPES, SEVERELY ERODED	TIMULA	No	---	---	---	---	---	1,264
	LINDLEY	No	---	---	---	---	---	66
673G: TIMULA SILT LOAM, 25 TO 40 PERCENT SLOPES	TIMULA	No	---	---	---	---	---	560
683C2: LISCOMB LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	LISCOMB	No	---	---	---	---	---	831
	DINSDALE	No	---	---	---	---	---	44
683D2: LISCOMB LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	LISCOMB	No	---	---	---	---	---	3,672
	SPARTA	No	---	---	---	---	---	193
683D3: LISCOMB LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	LISCOMB	No	---	---	---	---	---	770
	SPARTA	No	---	---	---	---	---	40
683E2: LISCOMB LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	LISCOMB	No	---	---	---	---	---	665
	SPARTA	No	---	---	---	---	---	35
683E3: LISCOMB LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	LISCOMB	No	---	---	---	---	---	565

## Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II  
HYDRIC SOIL INTERPRETATIONS

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
771B: WAUBEEK SILT LOAM, 2 TO 5 PERCENT SLOPES	WAUBEEK	No	---	---	---	---	---	314
	LISCOMB	No	---	---	---	---	---	16
771C: WAUBEEK SILT LOAM, 5 TO 9 PERCENT SLOPES	WAUBEEK	No	---	---	---	---	---	190
	LISCOMB	No	---	---	---	---	---	10
771C2: WAUBEEK SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	WAUBEEK	No	---	---	---	---	---	646
	LISCOMB	No	---	---	---	---	---	34
771D2: WAUBEEK SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	WAUBEEK	No	---	---	---	---	---	299
	LISCOMB	No	---	---	---	---	---	16
926: CANOE SILT LOAM, 0 TO 2 PERCENT SLOPES	CANOE	No	---	---	---	---	---	518
	HUMESTON	Yes	flood plain	2B3	YES	NO	NO	27
933B: SAWMILL SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	SAWMILL	Yes	flood plain	2B3	YES	NO	NO	5,391
	ELY	No	---	---	---	---	---	284
978: FESTINA SILT LOAM, 0 TO 2 PERCENT SLOPES	FESTINA	No	---	---	---	---	---	655
993E2: GARA-ARMSTRONG COMPLEX, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	ARMSTRONG	No	---	---	---	---	---	170
	GARA	No	---	---	---	---	---	170
993E3: GARA-ARMSTRONG COMPLEX, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	ARMSTRONG	No	---	---	---	---	---	102
	GARA	No	---	---	---	---	---	102
1133: COLO SILTY CLAY LOAM, CHANNELED, 0 TO 2 PERCENT SLOPES	COLO	Yes	flood plain	4,2B3	YES	YES	NO	10,954
	ZOOK	Yes	oxbow	2B3,3	YES	NO	YES	576

## Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II  
HYDRIC SOIL INTERPRETATIONS

Tama County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
1220: NODAWAY SILT LOAM, CHANNELED, 0 TO 2 PERCENT SLOPES	NODAWAY	No	---	---	---	---	---	2,984
	ACKMORE	No	---	---	---	---	---	176
	COLO	Yes	oxbow	3,2B3	YES	NO	YES	176
	OTHER	Yes	flood plain	4	NO	YES	NO	176
1485: SPILLVILLE LOAM, CHANNELED, 0 TO 2 PERCENT SLOPES	SPILLVILLE	No	---	---	---	---	---	914
	OTHER	Yes	oxbow	3,2B3	YES	NO	YES	51
	PERKS	Yes	flood plain	4	NO	YES	NO	51
5010: PITS, SAND AND GRAVEL	PITS, SAND AND GRAVEL	Unranked	---	---	---	---	---	170
5030: PITS, LIMESTONE QUARRIES	PITS, LIMESTONE QUARRY	Unranked	---	---	---	---	---	265
5040: ORTHENTS, LOAMY	ORTHENTS	Unranked	---	---	---	---	---	340
5080: ORTHENTS, LOAMY, NEARLY LEVEL	ORTHENTS	Unranked	---	---	---	---	---	30